

Light**WELD™** hand-held laser welding and cleaning systems are fast, easy to learn and operate, and produce high quality, consistent results across a wide range of materials and thickness's. Pre-weld and post-weld laser cleaning functionality optimises weld quality while increasing productivity.

Up to 4x faster than TIG Welding, Laser Welding is fast, effective, and helps to de-skill basic welding by being incredibly user-friendly.

The Light**WELD XC** can weld up to 4mm in Steel and Aluminium, while the soon to be available Light**WELD XR** extends the capabilities up to 6mm, as well as being suitable for Titanium, Nickel Alloys and Natural Copper too!







LightWELD XR

## **Advantages & Benefits**

Light**WELD™** enables dramatically faster welding and is easier to learn and operate than MIG or TIG. Light**WELD™** provides higher-quality, consistent results with minimal distortion or part deformation.

	Traditional Systems	Light <b>Weld</b> Systems
Speed	Average	Fast - Over <b>4x</b> <b>Faster</b> than TIG
Quality	Depends on user's experience	Consistent, high- quality results
Learning Curve	Steep	Quick and easy
Part Set-Up	Critical and time- consuming	Minimal and fast
Material Flexibility	Limited with consumables changes	Wide range with no set-up
Heat affected zone	Large	Small
Distortion & Deformation	High	Very Low
Wobble Welding	No	Yes - up to 5mm
Pre-Weld Cleaning	No	Yes - Removes rust, oxides, oil & greases
Post-Weld Polishing	No	Yes - Removes soot, debris & discolouration



Light**WELD** systems are easier to learn and operate and are **4X faster** than TIG welding. The low heat input and extensive material and thickness capabilities increase productivity, repeatability, and improve weld quality for operators of all skill levels.

## **Machine Features**

- Fast and Efficient Welding
- Air-Cooled Base Unit
- 5 or 10m Gun Cable
- 5 Work piece Clamp
- (2) Cleaning Nozzles
- (3) Cleaning Nozzle Inserts
- (4) Welding Nozzle Tips
- 3m CAT 6 Ethernet Cable
- (5) Cover Slides

Please note - you will require a laser welding booth with a safety interlock system in order to use this laser welding machine

## **Optional Equipment**

- Welding Helmet with Shield
- Laser Safety Glasses
- Additional Nozzles and Tips
- Wire-Feeder System
- Portable Extraction Unit
- LightWELD XR Welding Cabinet
- Safety-Interlock Modular Laser
  Welding Booth (The configuration of
  this can suit your space, however this
  would be a requirement to use the
  laser welding machine)

**TIG welding** can generate extreme heat that deforms thin materials and produces poor visual finishes. Welding copper is difficult and welding metals of dissimilar thickness's is limited. TIG welding is a highly skilled process, and experienced TIG welders are a scarce resource.

**MIG welding** requires consumable wire, material pre-cleaning, and bevelled joints for full penetration of thick metals. Travel and working angles are limited, and vertical positions can be extremely challenging. MIG is a high-heat process that can cause part deformation.











## **TECHNICAL SPECIFICATIONS**

Mo	DDEL		Light <b>WELD <i>XC</i></b>	Light <b>WELD <i>XR</i></b>
STOC	K CODE		IPGXCD	IPGXRD
Welding Capability	Mild Steel	mm	4	6.35 COMING
	Stainless Steel	mm	4	6 35
	Aluminium 3 / 5 Series	mm	4	6.35 <b>SOON!</b>
	Aluminium 6 Series	mm	N/A	3
	Titanium & Nickel Alloy	mm	N/A	5
	Natural Copper	mm	N/A	2
Wobble	e Welding	mm	Up to 5	
Cleaning	Scan Width	mm	Pre & Post-Weld up to 15	
Laser Output	(Welding Mode)	w	Average 1500, peak 2500	
High Frequency Pe	ak Power for Cleaning	w	2500	
Wire Weldi	ing Capability		Yes	
Welding / Cleanin	g Programme Modes		74	
Spo	ot Size	μm	150 μm	
Ubilio	al Cable	m	5m (10m Optional) - (Includes Fibre Laser Delivery, Process Gas, Process Head Controls and Safety Interlock Circuits)	
Co	oling		Air Cooled	
User I	nterface		Front Panel Controls of Laser Power, Mode, Wobble Length & Frequency	
Conn	ections		Ethernet Connection for Computer Connection	
Sa	nfety		Requires Safety Interlock connection	
w	idth	mm	316	
Le	ngth	mm	641	
He	eight	mm	534	
We	eight	kg	53	