

### Roller Track Systems



**350mm**

**450mm**

**620mm**

The Selmach stand alone gravity roller track systems are adjustable for height and available in 350mm, 450mm, 620mm and new 750mm widths. These heavy-duty, modular systems provide an excellent material handling solution for virtually all bandsaws, steelworkers and pillar drills.

Speak to us about bespoke roller track systems too, if you need a specialist solution. We can also offer bespoke motorised systems and vertical rollers too.

For our larger, CNC Sterling saws, we can also include extremely heavy-duty, and optionally powered, roller track solutions for fully automatic material processing solutions.



**350mm installed with a Bianco 280MS**

## Machine Features

- Heavy duty machined bearings
- Fully adjustable modular system
- Large selection of load capacities
- Standard Tracks available in 4 different widths
- Adjustable Height (610mm - 960mm)

## Optional Equipment

- Bespoke track sizes
- Vertical rollers
- PVC Coated Rollers
- Split Rollers



**450mm Roller Track**



**Optional PVC Rolls with 2 Splits**



**620mm installed with a Sterling SRA 440 DGSA**



## TECHNICAL SPECIFICATIONS

MODEL	STOCK CODE	Width	Length	Roller Ø	Height	No. of Rollers	Max. Capacity (Uniform Distributed Load - UDL)	Frame Size RSA
		mm	mm	mm	mm		kg	mm
350mm Standard	15604	350	2000	50 x 2	610-960	6	560	50 x 50 x 6
450mm Standard	15619	450	2000	63.5 x 3	610-960	6	1380	75 x 50 x 6
620mm Standard	15123	620	2000	76.4 x 3	610-960	6	2295	100 x 50 x 6
750mm Standard	15642	750	2000	76.4 x 3	610-960	6	2295	100 x 50 x 6

## Powered / Non-Powered Heavy-Duty Roller Track

For our larger, CNC Sterling saws, we can also include extremely heavy-duty, and optionally powered, roller track solutions for fully automatic material processing solutions.

Typically supplied in a 3m length, these can be made to any length, width or height to suit a new or existing saw.

## Machine Features

- Extremely Heavy duty
- Fully adjustable modular system
- Large selection of load capacities
- Width made to suit your saw
- Adjustable Height (made to suit your saw's bed height with fine adjustment for levelling)

## Optional Equipment

- Angled Tracks for Mitre Saws
- Bespoke track sizes
- Vertical rollers
- Powered Rollers



**Powered Roller Track**



**Non-Powered Roller Track  
(Free Rolling)**

## Narrow Gauge Roller Track

Typically supplied with our Sterling Aluminium Circular Saws for handling lightweight Aluminium Profiles and Extrusions.

These 2m lengths are perfect for pairing up with the SAR420 SA Aluminium Circular Saw.

